



Section A-A (Scale 1 : 10)
(Closed position)



Plan view showing open and closed positions



Detail B (Scale 1 : 2)

Silicone seals with non-friction coating (black)

Insulated glazed unit*

Factory applied low modulus neutral cure silicone
(standard = matt black)
with polyethylene expanded foam backing rod

Polyester powder coated aluminium external framework
(standard = RAL7015 slate grey)

Polyester powder coated aluminium internal framework
(standard = RAL9010 pure white)

Cable trunking (black)

39mm Polyamide thermal breaks (Black)
with factory applied PIR insulation

Site applied silicone seal (supplied by Glazing Vision)


Control cover flashing with rubber edging strip

Brush seal

Site applied structural kerb fixings
and spacers (supplied by Glazing Vision)

Fully weathered structural kerb
and internal finishes (by others)

Section B-B (Scale 1 : 10)
(Open position)



Removable plug (white) for access to motor override
Allows unit to be manually opened in an emergency
e.g. if mains power is disconnected and batteries run flat.

*Glazed unit specification dependant on client options and glazing area

<p>Saw Mills Road Diss Norfolk IP22 4RG</p> <p>Tel: +44 (0)333 8000 881 Fax: +44 (0)333 8000 882 Email: sales@glazingvision.co.uk Website: www.glazingvision.co.uk</p>	<p>IT IS GLAZING VISION'S POLICY TO CONTINUOUSLY DEVELOP AND IMPROVE OUR PRODUCTS. WE THEREFORE RESERVE THE RIGHT TO MODIFY OR CHANGE THE DETAIL DESIGN AT OUR DISCRETION AND WITHOUT PRIOR NOTICE. THIS DRAWING IS COPYRIGHT AND THE SOLE PROPERTY OF GLAZING VISION LTD. THE DESIGNS/INFORMATION IT CONTAINS ARE PRIVATE AND CONFIDENTIAL. IT MUST NOT BE COPIED, EXHIBITED OR COMMUNICATED TO THIRD PARTIES FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT WAS ISSUED WITHOUT THE WRITTEN PERMISSION OF GLAZING VISION LTD.</p>	<p>Third angle projection unless otherwise noted. Tolerances: Whole numbers = ±1mm One decimal place = ±0.5mm Two decimal places = ±0.2mm All angles 90±0.5 degrees unless specified IF IN DOUBT - ASK! DO NOT SCALE Supplier to deburr & remove sharp corners</p>	<p>Rev</p>	<p>Revision Description</p>	<p>Drawn/ Date</p>	<p>Product: 602 - GV Standard Sliding Over Roof Description: Section through Width (double glaze)</p>	<p>Checked By: JamesB</p>
			<p>-</p>	<p>Initial release</p>	<p>PGW 11.03.2014</p>	<p>Materials: N/A Finish: Standard = RAL7015/RAL9010 Weight: N/A Quantity: N/A Scale: 1:10 & 1:2</p>	<p>Drawn By: PGW Drawn Date: 11.03.2014</p>

Drawing No: 602-ASS-407